

100-year Peak Inflow				
Design Pt	5-yr [cfs]	10-yr [cfs]	25-yr [cfs]	100-yr [cfs]
1	247	272	375	428
2	0	0	63	94
560	692	861	1,576	2,477
560-1	697	864	1,581	2,487
560-2	697	864	1,582	2,488
561	700	868	1,584	2,493
561-1	229	282	437	612
562	221	278	437	613
562-1	156	203	302	423
562-2	156	190	307	427
563	531	654	1,173	1,826
564	499	618	1,113	1,736
565	472	579	1,049	1,632
566	472	594	1,050	1,633
566-1	472	569	1,050	1,633
567	490	585	1,074	1,635
568	415	487	877	1,321
569	404	468	841	1,267
570	21	25	38	52
571	369	455	815	1,225
572	32	38	57	81
573	26	33	59	89
575	156	190	307	427
576	106	127	204	315
576-1	85	103	180	273
577	85	103	180	274
577-1	49	58	104	160
577-2	49	58	105	160
577-3	46	58	106	161
578	46	59	106	161
579	28	36	65	98
585	322	384	686	1,028
585-1	293	363	643	964
586	265	329	587	884
586-1	209	266	482	730

100-year Peak Inflow				
Design Pt	5-yr [cfs]	10-yr [cfs]	25-yr [cfs]	100-yr [cfs]
587	209	266	482	730
587-1	166	213	388	589
587-2	169	215	389	590
588	169	215	389	591
589	63	70	110	161
590	59	70	110	161
591	47	53	76	103
592	492	611	1,093	1,703
593	476	559	1,020	1,549
594	336	402	719	1,079
595	27	33	53	78
596	12	15	26	38
597	21	25	38	54
598	19	23	39	57
599	382	470	842	1,267
600	42	51	81	112
601	293	363	643	964
602	38	46	76	110
603	65	82	150	226
604	67	80	124	176
604-1	51	59	86	118
605	268	306	494	711
606	158	191	316	457
606-1	100	121	203	296
607	100	121	204	297
608	81	97	157	225
609	51	59	86	119
610	231	270	443	638
610-1	158	191	316	457
611	267	304	506	706
612	39	44	62	83
644	86	98	161	221
645	247	272	375	428
645-1	247	272	374	428
646	246	272	356	428

100-year Peak Inflow				
Design Pt	5-yr [cfs]	10-yr [cfs]	25-yr [cfs]	100-yr [cfs]
647	86	98	160	221
650	141	167	236	267
651	99	118	182	181
652	88	105	159	228
653	40	47	120	236
653-1	12	13	99	187
654	78	99	159	237
654-1	79	93	159	237
654-2	53	63	110	163
654-3	51	63	110	163
655	73	83	132	189
655-1	24	27	46	70
655-2	24	27	46	67
655-3	24	27	46	67
656	23	28	46	67
657	54	67	113	167
658	12	13	99	187
659	28	34	53	77
660	104	120	222	370
661	103	121	223	371
662	59	70	133	277
663	46	56	97	191
664	24	28	43	124
800	490	585	1,074	1,635
802	78	99	159	237
950	151	161	233	264
950-1	151	161	170	170
951	99	118	185	193
951-1	99	118	160	160
952	88	105	168	225
952-1	88	105	150	150
953	39	46	120	234
953-1	39	46	120	130

100-year Total Inflow Volume				
Design Pt	5-yr [10 <sup>6</sup> gal]	10-yr [10 <sup>6</sup> gal]	25-yr [10 <sup>6</sup> gal]	100-yr [10 <sup>6</sup> gal]
1	7.8	9.5	13.7	16.6
2	0.0	0.0	0.7	1.8
560	27.1	33.8	52.9	77.7
560-1	27.0	33.7	52.8	77.6
560-2	27.0	33.7	52.7	77.5
561	27.0	33.7	52.7	77.4
561-1	6.6	8.4	13.4	19.9
562	6.6	8.4	13.4	19.8
562-1	5.2	6.6	10.4	15.4
562-2	5.2	6.5	10.4	15.4
563	18.9	23.6	36.7	54.1
564	17.4	21.9	34.4	51.1
565	16.1	20.2	32.0	47.5
566	16.1	20.2	31.9	47.5
566-1	16.1	20.2	31.9	47.5
567	16.1	20.2	31.9	47.5
568	13.3	16.7	26.3	39.1
569	12.7	15.9	25.1	37.3
570	0.6	0.7	1.0	1.5
571	12.1	15.3	24.2	36.0
572	0.6	0.7	1.1	1.6
573	1.0	1.3	2.2	3.4
575	5.2	6.5	10.4	15.4
576	4.0	5.0	8.0	11.7
576-1	3.4	4.3	6.9	10.2
577	3.4	4.3	6.8	10.1
577-1	1.9	2.5	4.0	6.0
577-2	1.9	2.5	4.0	6.0
577-3	1.9	2.4	4.0	6.0
578	1.9	2.4	4.0	6.0
579	1.2	1.5	2.6	3.9
585	9.7	12.4	19.7	29.4
585-1	9.1	11.6	18.6	27.8
586	8.1	10.4	16.9	25.5
586-1	6.5	8.5	14.0	21.3

100-year Total Inflow Volume				
Design Pt	5-yr [10 <sup>6</sup> gal]	10-yr [10 <sup>6</sup> gal]	25-yr [10 <sup>6</sup> gal]	100-yr [10 <sup>6</sup> gal]
587	6.5	8.5	14.0	21.3
587-1	4.8	6.4	10.7	16.4
587-2	4.8	6.3	10.6	16.3
588	4.8	6.3	10.6	16.3
589	1.5	1.9	2.9	4.2
590	1.5	1.9	2.9	4.2
591	1.5	1.7	2.3	3.1
592	17.0	21.3	33.6	49.9
593	15.3	19.2	30.4	45.2
594	10.3	13.1	20.9	31.3
595	0.5	0.7	1.1	1.6
596	0.4	0.5	0.8	1.2
597	0.6	0.7	1.0	1.5
598	0.6	0.8	1.2	1.8
599	12.5	15.8	25.0	37.2
600	1.3	1.6	2.4	3.4
601	9.1	11.6	18.6	27.8
602	1.1	1.4	2.1	3.1
603	1.8	2.4	4.1	6.3
604	1.5	1.8	2.7	3.8
604-1	1.1	1.3	1.8	2.5
605	7.9	9.4	13.2	18.3
606	4.6	5.6	8.0	11.2
606-1	2.6	3.2	4.9	7.0
607	2.6	3.2	4.9	7.0
608	2.0	2.4	3.6	5.1
609	1.1	1.3	1.8	2.5
610	6.9	8.3	11.7	16.2
610-1	4.6	5.6	8.0	11.2
611	7.9	9.4	13.2	18.4
612	1.0	1.2	1.5	2.1
644	2.3	2.9	4.2	6.0
645	7.8	9.5	13.7	16.6
645-1	7.8	9.5	13.7	16.6
646	7.8	9.5	13.6	16.6

100-year Total Inflow Volume				
Design Pt	5-yr [10 <sup>6</sup> gal]	10-yr [10 <sup>6</sup> gal]	25-yr [10 <sup>6</sup> gal]	100-yr [10 <sup>6</sup> gal]
647	2.3	2.9	4.2	6.0
650	5.0	6.1	9.3	11.1
651	3.9	4.8	7.4	8.8
652	3.5	4.4	6.9	9.3
653	2.5	3.1	4.9	7.3
653-1	1.8	2.3	3.7	5.5
654	1.8	2.3	3.7	5.5
654-1	1.8	2.3	3.7	5.5
654-2	1.1	1.4	2.2	3.4
654-3	1.1	1.4	2.2	3.4
655	2.0	2.4	3.5	5.0
655-1	0.7	0.8	1.3	1.9
655-2	0.7	0.8	1.3	1.9
655-3	0.7	0.8	1.3	1.9
656	0.7	0.8	1.3	1.9
657	1.1	1.4	2.2	3.3
658	1.8	2.3	3.7	5.5
659	0.5	0.6	1.0	1.4
660	3.1	3.8	6.0	11.1
661	3.0	3.7	5.9	11.1
662	1.7	2.1	3.6	7.5
663	1.3	1.7	2.7	5.1
664	0.5	0.6	0.9	2.2
800	16.1	20.2	31.9	47.5
802	1.8	2.3	3.7	5.5
950	5.0	6.2	9.3	11.2
950-1	5.0	6.2	8.6	9.4
951	3.9	4.8	7.5	9.1
951-1	3.9	4.8	7.4	8.5
952	3.5	4.4	6.9	9.3
952-1	3.5	4.4	6.8	8.0
953	2.5	3.1	4.9	7.3
953-1	2.5	3.1	4.9	6.4